standio

Easy-to-use LED Screen

impactrum

About Standio

Introducing the Standio Portable series of high resolution LED displays.

Self contained ready to use
for multiple applications.
Light weight transportable design
allows for easy set up maximizing
the message and viewing experience.



World's first self standing foldable portable lockable design

Stunning bright high resolution display

Precision quality aluminum die casting

Simple board™ reliability and stability

Maximized portability.

Designed for easy and quick set up.
Self contained and ready to use.

Compact overall size and weight with maximized image size, resolution and contrast.

Why Standio

Get out of the dark and upgrade to Standio for the purest, brightest, highest contrast visual experience.

Projector

Ambient light washes out the projector image limiting
image brightness contrast and clarity.
Presenter movement is limited to avoid casting shadows on the display.

LED Screen

Regardless of the level of ambient light the standio
offers a clear, crisp, bright, immersive display experience.

Quick set up.

Standio's innovative quick set up design with rugged hinges aid in the ease of transporting the panels and allows for quick easy set up.

Just Pick a location, Done.

Standio designed for mobility and flexibility.
Standio wheels for freedom and convenience.

Precision color expression with rich color depth.

Standio utilizes our latest innovative processing which delivers superior contrast ensuring bright clear, deep images.

Standio true contrast additionally delivers accurate color reproduction to ensure your content is displayed with the highest resolution and truest color.

The world’s first aluminum die-casting panel

The Standio all aluminum die-casting products offer superior heat dissipation are light weight and corrosion proof.
This standio series utilizes a precision locking system, coupled with the aluminum panel offer an easy to set up and truly flat and stable display.

World's first Simple Board™

Simple Board™ is the final result of years of innovative development.

Simple Board™ results in longer service life with a 70% increase in hardware stability by reducing the number of components and connections onto a single unique 'Simple Board' design.

70%

Improving Hardware Stability



Excellent collaborative visualization.

Corporations and classroom environments have become increasingly virtual and global.

The Standio was developed to support the need for a collaborative, virtual experience to build brands and engage customers.

The Standio technology offers a digital solution to strengthen your brand and deliver an innovative customer experience.

Looking for large 100” plus displays for your event?

Standio offers affordable alternatives with a variety of screen sizes for your events. The Standio 200" inch display is a popular size for medium size events.

Standio Board

Standio Board VX

impactrum

Standio Board VX

From classroom to the boardroom.

Standio Board VX interactive LED displays deliver.

With content sharing and interactive touch at your fingertips, Standio Board displays help to better facilitate decision-making, presentations and brainstorming.



Features.

World's first aluminum panel.



The Standio Board VX incorporates our newest modular aluminum panel design, resulting in a thin, sleek lightweight panel and bezel design to maximize the viewing surface.

All-in-one Simple Board™.



Simple Board™ results in longer service life with a 70% increase in hardware stability by reducing the number of components and connections onto a single unique 'Simple Board' design.

Full front panel maintenance.

Easy front panel pop off and pop in connection / wire free maintenance design.

16:9 aspect ratio.



16 : 9 large one piece border free displays.

Elevate Your Competitive Advantage

Gain a competitive edge with Standio Board VX.

Better facilitate decision-making presentations and brainstorming.

Offer a collaborative experience to build brands and engage customers virtually.

Standio technology offers a digital solution to strengthen your brand and deliver an effective live innovative customer experience.

The flexible design can be wall or stand mounted.

Sleek Lightweight Design.

The Standio Board VX incorporates our newest modular aluminum panel design, resulting in a thin, sleek lightweight panel and bezel to maximize portability and viewing surface.

38.5mm

Standio panel thickness

Remote Control.

Standio Board products come with a multi-functional remote control for ease of use.

- Brightness
- Input Source
- Menu
- Standby
- Media File Control

Wireless Mirroring.

Supports Multiple Devices, such as smart phones, tablets and PCs by wireless mirroring. Connect up to 4 devices at the same time with screen split functionality.

Specification.

Standio Board VX 110

Standio Board VX 138

Standio Board VX 165

Standio Board VX 220 *



* Standio Board VX 220 can only be mounted.

Model	Standio Board VX 110	Standio Board VX 138	Standio Board VX 165	Standio Board VX 220
Screen Size	110 inch	138 inch	165 inch	220 inch
Pixel Pitch	1.2 mm	1.5 mm	1.9 mm	2.5 mm
Resolution	1920 x 1080 px	1920 x 1080 px	1920 x 1080 px	1920 x 1080 px
Brightness	500 nit	500 nit	600 nit	600 nit
Screen Dimension	2440 x 1373 mm	3050 x 1716 mm	3660 x 2059 mm	4880 x 2745 mm
Overall Size	2453 x 1530 mm	3063 x 1846 mm	3673 x 2189 mm	4893 x 2875 mm
Screen Ratio	16 : 9	16 : 9	16 : 9	16 : 9
Refresh Rate	1920 ~ 3840 Hz	1920 ~ 3840 Hz	1920 ~ 3840 Hz	1920 ~ 3840 Hz
Viewing Angle	160° (H, V)	160° (H, V)	160° (H, V)	160° (H, V)
Weight	134 kg	201 kg	282 kg	526.5 kg
Maintenance	Front	Front	Front	Front
Installation Type	Stand Type / Mounting Type	Stand Type / Mounting Type	Stand Type / Mounting Type	Mounting Type Only
Appropriate Number of Viewers	10 - 30 people	20 - 50 people	40 - 80 people	50 - 120 people

Standio Board

Standio Board FX

Standio Board FX

Maximum Capability and Portability.

Standio Board FX is a 110" inch display designed to fold for easy portability and storage.
(Folds to a size of 4' x 5.6')

No disassembly required for easy transportation.

Features.

World's first aluminum panel.



The Standio Board VX incorporates our newest modular aluminum panel design, resulting in a thin, sleek lightweight panel and bezel design to maximize the viewing surface.

Full front panel maintenance.



Easy front panel pop off and pop in connection / wire free maintenance design.

Borderless 16:9 Aspect Ratio.



16 : 9 large one piece border free displays.

All-in-one Simple Board™.



Simple Board™ results in longer service life with a 70% increase in hardware stability by reducing the number of components and connections onto a single unique 'Simple Board' design.

Worlds First Hinged Folding Displays.

Transforms to a small easily portable or stored display 4' x 5.6' (1220mm x 1710mm)

110" large display perfect for workgroups between 10-30 people.

The 110" screen is 2.4 m wide and offering a fully capable collaborative board and maximized portable at a competitive value unrealized by today's LCD technology.

Height adjustable folding screen.

The unique panel hinge design and adjustable height make the Standio FX the most portable easy to deploy and set up display available today.

Adjustable Height

Min. 1710 mm (5.6 ')
Max., 2210 mm (7 ' 3 ")

Remote Control.

Standio Board products come with a multi-functional remote control for ease of use.

- Brightness
- Input Source
- Menu
- Standby
- Media File Control

Wireless Mirroring.

Supports Multiple Devices, such as smart phones, tablets and PCs by wireless mirroring. Connect up to 4 devices at the same time with screen split functionality.

Specification.



Adjustable Height

Min. 1710 mm (5.6 ')
Max., 2210 mm (7 ' 3 ")

Model	Standio Board FX 1.2	Standio Board FX 1.5	Standio Board FX 1.9
Screen Size	110 inch	110 inch	110 inch
Pixel Pitch	1.2 mm	1.5 mm	1.9 mm
Resolution	1920 x 1080 px	1536 x 864 px	1280 x 720 px
Brightness	600 nit	600 nit	600 nit
Screen Dimension	2440 x 1373 mm	2240 x 1373 mm	2240 x 1373 mm
Overall Size	2446 x 1710 mm	2446 x 1710 mm	2446 x 1710 mm
Adjustable Height	1710 ~ 2210 mm	1710 ~ 2210 mm	1710 ~ 2210 mm
Screen Ratio	16 : 9	16 : 9	16 : 9
Refresh Rate	1920 ~ 3840 Hz	1920 ~ 3840 Hz	1920 ~ 3840 Hz
Viewing Angle	160° (H, V)	160° (H, V)	160° (H, V)
Weight	230 kg	230 kg	230 kg
Maintenance	Front	Front	Front
Appropriate Number of Viewers	10 ~ 30 people	10 ~ 30 people	10 ~ 30 people

Standio Portable

Standio Fold Q

impactrum

Standio Fold Q

Enhance your customers visual experience.

Standio Fold Q transforms ordinary spaces to amazing messaging environments by displaying your bright, high resolution content.

Features.

World’s first aluminum panel.



The Standio Board VX incorporates our newest modular aluminum panel design, resulting in a thin, sleek lightweight panel and bezel design to maximize the viewing surface.

All-in-one Simple Board™.



Simple Board™ results in longer service life with a 70% increase in hardware stability by reducing the number of components and connections onto a single unique 'Simple Board' design.

Full front panel maintenance.



Easy front panel pop off and pop in connection / wire free maintenance design.

Borderless 16:9 Aspect Ratio.



16 : 9 large one piece
border free displays.

Folding Hinge Design.



Standio Fold Q offers an innovative hinge design which makes this model the most portable as well as most versatile display in its class.

Easy to transport, easy to set up.

Standio Fold Q offers an innovative hinge design which makes this model the most portable as well as most versatile display in its class.
It can be used in either its folded or its upright configuration to best deliver content in the most flexible configuration.

When connected, the Standio Q easily expands to a 193" perfect 16:9 big screen and allows for the use of existing marketing content.

The rugged lightweight aluminum frame and locking system results in a stable flat high resolution screen with no gaps.

30 minutes

approx. time to take connect 7 units (2 person)

Lock 7 products for a 193" video wall.

Standio Fold Q foldable - self contained - free standing - stable - field potable.
2 people can easily set up the 193" display in less than 30 minutes.



Specification.

Product	1 Product	7 Products (Connedced)
Screen Size	97 inch	193 inch
Pixel Pitch	2.54 mm	2.54 mm
Resolution	240 x 945 px	1680 x 945 px
Brightness	600 nit	600 nit
Screen Dimension	610 x 2402 mm	4207 x 2402 mm
Overall Size	610 x 2882 mm	4207 x 2882 mm
Screen Ratio	16 : 9	16 : 9
Refresh Rate	1920 ~ 3840 Hz	1920 ~ 3840 Hz
Viewing Angle	160° (H, V)	160° (H, V)
Weight	80 kg	560 kg
Maintenance	Front	Front
Power Consumption	Max. 650 w / Avg. 260 w	Max. 4.55 kw / Avg. 1.82 kw
Appropriate Number of Viewers	-	50 - 100 People

Standio Portable

Standio Banner G

Standio
Banner G

Drive revenue with this affordable, fashionable, sleek, self contained LED display.

Enhance your retail space and brand message with the bright, high contrast, vivid Standio Banner G display. Drive revenue by engaging your customers with a creative unique brand message.

Reception lobby messaging.

Set the tone of welcoming your guests with your unique message using the Standio Banner G.

Simple and Clean Design.

Standio Banner G Series aesthetically simple design will easily blend in and enhance your retail environment.

Banner G

Banner G Plus

Specification.

Model	Banner G p1.8	Banner G p2.5
Pixel Pitch	1.8 mm	2.5 mm
Resolution	304 x 1026 px	224 x 756 px
Brightness	800 nit	800 nit
Screen Dimension	576 x 1944 mm	576 x 1944 mm
Overall Size	596 x 1964 mm	596 x 1964 mm
Refresh Rate	1920 Hz	1920 Hz
Viewing Angle	160° (H, V)	160° (H, V)
Weight	36 kg	36 kg
Power Consumption	Max. 540 w / Avg. 210 w	Max. 540 w / Avg. 210 w

Model	Banner G Plus p1.8	Banner G Plus p2.5
Pixel Pitch	1.8 mm	2.5 mm
Resolution	608 x 1026 px	448 x 756 px
Brightness	800 nit	800 nit
Screen Dimension	1152 x 1944 mm	1152 x 1944 mm
Overall Size	1172 x 1964 mm	1172 x 1964 mm
Refresh Rate	1920 Hz	1920 Hz
Viewing Angle	160° (H, V)	160° (H, V)
Weight	80 kg	80 kg
Power Consumption	Max. 1050 w / Avg. 400 w	Max. 1050 w / Avg. 400 w

Standio Street

Standio Street Vega

Standio
Street Vega

Street
Wise.

Standio street vega is specifically designed for outdoor environments with a high level of waterproof, dustproof and impact resistance.

The standio street is the perfect product to engage your customers with a bright, high contrast vivid brand message outdoors.

Flexibility adaptability.

Seamlessly adapts to numerous outdoor applications and environments.

Bring your brand message to the streets with the highly customizable and flexible Standio Street Vega.

Simple design and easy to maintain.

Standio Street Vega was designed with ease of maintenance in mind.

Specification.

Model	Standio Street Vega 81
Screen Size	81.7 inch
Pixel Pitch	3 mm
Resolution	384 x 576 px
Brightness	5500 nit
Screen Dimension	1152 x 1728 mm
Overall Size	1352 x 2278 mm
Refresh Rate	1920 Hz
Viewing Angle	140° (H, V)
Weight	300 kg
Maintenance	Rear
Power Consumption	Max. 1791 w / Avg. 597 w

Standio Scroll

Standio Scroll

Standio Scroll



Standio Scroll Indoor p2.5 mm
Double Sided
Screen W 1280 x H 320 mm

Compact size, maximum impact.

Standio Scroll designed to be installed on ceilings or walls.

Fine pitch LED for clear bright messaging.

Customization is welcomed.

Standio Scroll offers options for creative practical LED screens.

Winning design options for numerous customizations.

Standio Scroll Outdoor 3 mm
Double Sided
Screen W 576 x H 960 mm



Stunning
3 mm pixel pitch
for outdoor scroll

Upgrade your message from a single line, simple text p8 - p16 mm display to the Standio Scroll 3 mm pixel pitch outdoor sign.

Compact in size with maximum impact.



The Miracles of Technology

www.impactrum.com

impactrum